

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((("6747823") or ("6683744") or ("6373243")).PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/08 16:55
S2	1	(master near2 (dis\$1 med\$2)) same (magnetic near2 layer) near4 (inver\$4 convert\$3) near3 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 16:52
S3	358	(master near2 (dis\$1 med\$2)) and (inver\$4 conver\$4) near3 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:23
S4	42	S3 and (conver\$4 near4 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:04
S5	10	(master near2 (dis\$1 med\$2)) and ((inver\$4 conver\$4) near3 (block bit)) same (servo near2 address near2 (information signal pattern mark) or SAM or AM)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:03
S6	8	S3 and 360/15-17.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:05
S7	211	sato near2 kiminori.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:05
S8	2	S7 and (bit near3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:07
S9	9	master near2 (dis\$1 medi\$2) same (data block cylinder SAM AM servo) near3 bit near3 (conver\$4 inver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:09
S10	211	(master near2 (dis\$1 med\$2)) and (inver\$4 conver\$4 transition\$3) near3 bit near3 (information block data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:24

S11	8	S10 and magnetic near2 transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/06 17:24
S12	444	((magnetic cylinder or address) near2 (information mark pattern data signal)) and (magnetiz\$5 same (transition conver\$4 inver\$4) near4 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 17:06
S13	6	S12 and (master near2 dis\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 17:05
S14	6	S12 and (master near2 (medi\$2 dis\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 17:04
S15	53	S12 and (RLL or (run near2 limited))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/08 17:07
S16	6	(master near2 (carrier dis\$1)) same rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 13:33
S17	10	(master carrier) near2 dis\$1 same rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 13:33
S18	742	(master carrier) same rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 09:36
S19	7	("5477222"   "5537112"   "5668546"   "5696505"   "5748118"   "5757293"   "5781130").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/10 13:34
S20	19	("5477222").URPN.	USPAT	OR	ON	2005/08/10 13:35
S21	434	S18 and dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:01

S22	184	S21 and block	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:00
S23	680	S18 and ("2,3" or "2,10" or "4,6" or "1,7")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:03
S24	8	S23 and ((conver\$4 inver\$4) near2 block)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:02
S25	2	S18 and (bit near3 sequence same conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:08
S26	19	S18 and ((cylinder or servo) near3 (address signal pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:11
S27	20	S18 and ((cylinder or servo) near3 (address information signal pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:12
S28	169	S18 and (modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:16
S29	5	S18 and (modulat\$3 same bit near2 sequence)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:16
S30	6	S18 and "360"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/10 14:17
S31	13	("3614756"   "3869711"   "4157576"   "4422106"   "4525828"   "4598327"   "4737869"   "4835632"   "5296995"   "5677819"   "5703733"   "5875083"   "6034836").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/10 14:25

S32	6	master near3 (dis\$1 carrier) same rll	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/10 14:26
S33	742	(master carrier) same rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:21
S36	152	(master carrier) same rll same dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:35
S37	75	S36 and ((servo near2 address) or sam or sa or (cylinder near2 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:31
S38	75	(master carrier) same ((servo near2 address) or sam or sa or (cylinder near2 information)) same rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 09:54
S39	5908	rll and ((servo near2 address) or sam or sa or (cylinder near2 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:31
S40	1714	rll same ((servo near2 address) or sam or sa or (cylinder near2 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:31
S41	5	S40 and ("2" near2 bit near2 "4")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:32
S42	19	S33 and (code near2 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 11:35
S43	7	("5587975"   "5838658"   "5933410"   "6262950"   "6345023"   "6452897"   "6584050").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 11:38

S44	876	(master carrier) same (run near2 limit\$4 or rll)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 12:02
S45	506	S44 and dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 12:16
S46	211	conver\$4 near4 (two near2 bit near3 four)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 12:16
S47	32	S45 and (cylinder near2 information or sam or servo near2 address)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 12:17
S48	101	("5255136").URPN.	USPAT	OR	ON	2005/08/11 12:18
S49	7	("5477222"   "5537112"   "5668546"   "5696505"   "5748118"   "5757293"   "5781130").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 12:33
S50	4	("6404355").URPN.	USPAT	OR	ON	2005/08/11 12:47
S51	1	("20040160690").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/11 12:47
S52	4	("3869711"   "4423460"   "5121258"   "5198959").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 12:49
S53	293	(master magnetic) near2 (dis\$1 carrier medi\$2) same RLL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:06
S54	152	S53 and (("4,6") or (S52))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:08
S55	1	("6496541").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/11 13:35
S56	464	(magnetic near2 (medi\$2 dis\$1)) same (RLL or (run near2 length))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:42

S57	38	S56 and (block near3 conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:47
S58	6	S33 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:48
S59	75	S56 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 13:58
S60	106	S56 and "341"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:17
S61	2	S56 and "360/32".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:19
S62	348	(conver\$3 inver\$3) near3 (bit near3 (sequence data)) same (rll or (run near2 length))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:39
S63	255	S62 and dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:21
S64	40	(conver\$3 inver\$3) near3 (two "2") near2 (bit near3 (sequence data)) same (rll or (run near2 length))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:40
S65	730	(magnetic near2 (medi\$2 dis\$1)) same (RLL or (run variable) near2 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:52
S66	1321	conver\$4 near3 (bit code) same (("2" or two) near3 ("4" or four) near3 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 14:53

S67	5	("4804959"   "5432799"   "5696505"   "6157325"   "6188336").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 14:55
S68	1	("5184125").URPN.	USPAT	OR	ON	2005/08/11 14:57
S69	13	("3647964"   "3689899"   "3716851"   "4451819"   "4463344"   "4484176"   "4670890"   "4691193"   "4697167"   "4737765"   "4760378"   "4860324"   "4881076").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:10
S70	146	variable near2 length near2 code same dis\$1	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:10
S71	19	("5477222").URPN.	USPAT	OR	ON	2005/08/11 15:14
S72	2	("5278902"   "5477222").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:23
S73	12716	(medi\$2 dis\$1) same (rll or ((run variable) near2 length))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:25
S74	2294	S73 and (sam or servo near2 address or cylinder)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:25
S75	227	S74 and (conver\$4 near2 (block bit))	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:30
S76	622	S74 and (master carrier)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:30
S77	15	S76 and "714"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:32
S78	3	S76 and "341"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:31
S79	2	S76 and "360/32".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/11 15:31
S80	152	(master carrier) same rll same dis\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:23
S81	45378	fuji near2 electric.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:24

S82	41	S81 and (rll or ((conver\$4 encod\$3) near2 bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:26
S83	468	S81 and (master carrier same rll)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:30
S84	3	S81 and (dis\$1 and rll)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:27
S85	37	(master carrier) same (SAM or (servo near2 (address pattern)) or (cylinder near2 information)) and (conver\$3 inver\$4) near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:47
S86	3	(master carrier) near2 dis\$1 same (SAM or ((servo cylinder) near2 (information address pattern))) and (conver\$3 inver\$4) near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:49
S87	2	(master carrier) near2 dis\$1 same (SAM or ((servo cylinder) near2 (information address pattern))) and (embedded near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:49
S88	3	(master carrier) near2 dis\$1 and (SAM or ((servo cylinder) near2 (information address pattern))) and (embedded near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:51
S89	252	360/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:51
S90	132	S89 and magnetic near2 transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:53
S91	1	S89 and rll	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:53



S92	1	S89 and embedded near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:53
S93	8	S89 and embedded near2 (information pattern)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/11 16:53